



Auditoria, Conference Halls & Seminar Halls- Admin, Block, Main Block, PG Block


St. Kuriakose Elias Auditorium (A/c) - First Floor, PG Block



KRISTU JAYANTI
(DEEMED TO BE UNIVERSITY)
Under Section 3 of UGC Act 1956
A CMI INSTITUTION | BENGALURU | INDIA



Latitude: 13.057802
Longitude: 77.642069
Elevation: 879.07 m
Accuracy: 4.0 m
Time: 09-12-2020 13:20
Note: St. Kuriakose Elias Auditorium (A/c)
PG Block, First Floor



Latitude: 13.057765
Longitude: 77.642427
Elevation: 884.95 m
Accuracy: 4.0 m
Time: 09-12-2020 13:23
Note: St. Kuriakose Elias Auditorium (A/c)
PG Block, First Floor




Latitude: 13.058076
Longitude: 77.64295
Elevation: 895.61 m
Accuracy: 31.9 m
Time: 09-12-2020 13:24
Note: St. Kuriakose Elias Auditorium (A/c)
PG Block, First Floor

Auditorium M1- First Floor, Main Block



KRISTU JAYANTI
(DEEMED TO BE UNIVERSITY)
Under Section 3 of UGC Act 1956
A CMI INSTITUTION | BENGALURU | INDIA



Auditorium M2 - Second Floor, Main Block




KRISTU JAYANTI
(DEEMED TO BE UNIVERSITY)
Under Section 3 of UGC Act 1956
A CMI INSTITUTION | BENGALURU | INDIA



Latitude: 13.058307
Longitude: 77.642763
Elevation: 1014.91 m
Accuracy: 4.2 m
Time: 07-01-2021 16:48
Note: Auditorium M2, Second Floor, Main Block



Latitude: 13.058007
Longitude: 77.642686
Elevation: 894.91 m
Accuracy: 23.3 m
Time: 07-01-2021 10:16
Note: Auditorium M2, Second Floor, Main Block



Latitude: 13.058218
Longitude: 77.642754
Elevation: 892.51 m
Accuracy: 20.0 m
Time: 07-01-2021 16:45
Note: Auditorium M2, Second Floor, Main Block


Auditorium M3 - Third Floor, Main Block



KRISTU JAYANTI
(DEEMED TO BE UNIVERSITY)
Under Section 3 of UGC Act 1956
A CMI INSTITUTION | BENGALURU | INDIA



Latitude: 13.0586
Longitude: 77.642768
Elevation: 997.51 m
Accuracy: 3.3 m
Time: 07-01-2021 10:25
Note: Auditorium M3, Third Floor, Main Block



Latitude: 13.058115
Longitude: 77.643142
Elevation: 1036.11 m
Accuracy: 7.4 m
Time: 07-01-2021 10:23
Note: Auditorium M3, Third Floor, Main Block



Latitude: 13.058007
Longitude: 77.642687
Altitude: 873.3 m
Accuracy: 6.7 m
Time: 07-01-2021 10:25
Note: Auditorium M3, Third Floor, Main Block


Auditorium M4 (A/c) - Third Floor, Main Block




KRISTU JAYANTI
(DEEMED TO BE UNIVERSITY)
Under Section 3 of UGC Act 1956
A CMI INSTITUTION | BENGALURU | INDIA



Latitude: 13.058328
Longitude: 77.642872
Elevation: 1005.01 m
Accuracy: 3.4 m
Time: 07-01-2021 10:34
Note: Auditorium M4 (A/C), Fourth Floor, Main Block



Latitude: 13.058165
Longitude: 77.642756
Elevation: 894.91 m
Accuracy: 15.4 m
Time: 07-01-2021 10:30
Note: Auditorium M4 (A/C), Fourth Floor, Main Block



Latitude: 13.058045
Longitude: 77.642673
Elevation: 995.61 m
Accuracy: 6.4 m
Time: 07-01-2021 10:33
Note: Auditorium M4 (A/C), Fourth Floor, Main Block

Auditorium P1 (A/c) – First Floor, PG Block




KRISTU JAYANTI
(DEEMED TO BE UNIVERSITY)
Under Section 3 of UGC Act 1956
A CMI INSTITUTION | BENGALURU | INDIA



Latitude: 13.058002
Longitude: 77.642402
Elevation: 897.41 m
Accuracy: 47.0 m
Time: 11-01-2021 14:29
Note: Auditorium P1(A/c)
Fifth floor, PG Block



Latitude: 13.058018
Longitude: 77.642395
Elevation: 897.41 m
Accuracy: 20.0 m
Time: 11-01-2021 14:25
Note: Auditorium P1(A/c)
Fifth floor, PG Block



Latitude: 13.058024
Longitude: 77.642381
Elevation: 897.41 m
Accuracy: 18.0 m
Time: 11-01-2021 14:28
Note: Auditorium P1(A/c)
Fifth floor, PG Block

Conference Hall P1 (A/c) - First Floor, PG Block



KRISTU JAYANTI
(DEEMED TO BE UNIVERSITY)
Under Section 3 of UGC Act 1956
A CMI INSTITUTION | BENGALURU | INDIA



Conference Hall P2 (A/c) – First Floor, PG Block



KRISTU JAYANTI
(DEEMED TO BE UNIVERSITY)
Under Section 3 of UGC Act 1956
A CMI INSTITUTION | BENGALURU | INDIA



Latitude: 13.058019
Longitude: 77.642406
Elevation: 895.81 m
Accuracy: 18.6 m
Time: 12-01-2021 10:27
Note: Conference Hall P2 (A/c)
First Floor, PG Block



Latitude: 13.057512
Longitude: 77.642913
Altitude: 991.3 m
Accuracy: 5.8 m
Time: 11-01-2021 14:18
Note: Conference Hall P2 (A/c)
First floor, PG Block



Latitude: 13.057936
Longitude: 77.642384
Elevation: 895.81 m
Accuracy: 28.0 m
Time: 11-01-2021 14:17
Note: Conference Hall P2 (A/c)
First floor, PG Block

Auditorium A1 - Second Floor, Admin. Block




KRISTU JAYANTI
(DEEMED TO BE UNIVERSITY)
Under Section 3 of UGC Act 1956
A CMI INSTITUTION | BENGALURU | INDIA



Latitude: 13.058771
Longitude: 77.641986
Elevation: 902.7 m
Accuracy: 48.3 m
Time: 13-03-2021 12:56
Note: Auditorium A1
Second Floor, Admin. Block



Latitude: 13.058791
Longitude: 77.641997
Elevation: 902.7 m
Accuracy: 15.6 m
Time: 13-03-2021 12:55
Note: Auditorium A1
Second Floor, Admin. Block



Latitude: 13.058976
Longitude: 77.642114
Elevation: 902.7 m
Accuracy: 88.1 m
Time: 13-03-2021 12:58
Note: Auditorium A1
Second Floor, Admin. Block

Auditorium A2 (A/c) - Third Floor, Admin. Block



KRISTU JAYANTI
(DEEMED TO BE UNIVERSITY)
Under Section 3 of UGC Act 1956
A CMI INSTITUTION | BENGALURU | INDIA



Latitude: 13.058796
Longitude: 77.641982
Elevation: 902.7 m
Accuracy: 36.0 m
Time: 13-03-2021 10:17
Note: Auditorium A2 (A/c)
Third Floor, Admin. Block



Latitude: 13.058555
Longitude: 77.642055
Elevation: 897.51 m
Accuracy: 42.5 m
Time: 13-03-2021 10:13
Note: Auditorium A2 (A/c)
Third Floor, Admin. Block



Latitude: 13.058795
Longitude: 77.641994
Elevation: 902.7 m
Accuracy: 20.9 m
Time: 13-03-2021 10:16
Note: Auditorium A2 (A/c)
Third Floor, Admin. Block

Auditorium A3 (A/c) - Fifth Floor, Admin. Block



KRISTU JAYANTI
(DEEMED TO BE UNIVERSITY)
Under Section 3 of UGC Act 1956
A CMI INSTITUTION | BENGALURU | INDIA



Latitude: 13.058838
Longitude: 77.642022
Altitude: 901.6 m
Accuracy: 6.2 m
Time: 20-01-2021 13:09
Note: Auditorium A3 (A/c)
Fifth Floor
Admin. Block



Latitude: 13.058414
Longitude: 77.642308
Elevation: 894.21 m
Accuracy: 68.4 m
Time: 11-01-2021 14:36
Note: Auditorium A3(A/c)
Fifth Floor, Admin. Block



Latitude: 13.058637
Longitude: 77.64273
Elevation: 894.21 m
Accuracy: 52.4 m
Time: 11-01-2021 14:38
Note: Auditorium A3(A/c)
Fifth Floor, Admin. Block

Panel Room P1 (A/c), Ground Floor, PG Block



KRISTU JAYANTI
(DEEMED TO BE UNIVERSITY)
Under Section 3 of UGC Act 1956
A CMI INSTITUTION | BENGALURU | INDIA



Latitude: 13.058201
Longitude: 77.642796
Elevation: 894.91 m
Accuracy: 22.1 m
Time: 12-01-2021 11:53
Note: Panel Room P1 (A/c)
Ground Floor, PG Block



Latitude: 13.058095
Longitude: 77.642691
Elevation: 894.91 m
Accuracy: 25.5 m
Time: 12-01-2021 11:55
Note: Panel Room P1 (A/c)
Ground Floor, PG Block



Latitude: 13.058213
Longitude: 77.642821
Elevation: 894.91 m
Accuracy: 25.0 m
Time: 12-01-2021 11:54
Note: Panel Room P1 (A/c)
Ground Floor, PG Block


Panel Room P2 (A/c) - Ground Floor, PG Block



KRISTU JAYANTI
(DEEMED TO BE UNIVERSITY)
Under Section 3 of UGC Act 1956
A CMI INSTITUTION | BENGALURU | INDIA



Latitude: 13.057842
Longitude: 77.642257
Elevation: 895.61 m
Accuracy: 28.6 m
Time: 12-01-2021 11:46
Note: Panel Room P2 (A/c)
Ground Floor, PG Block



Latitude: 13.058031
Longitude: 77.6426
Elevation: 894.91 m
Accuracy: 30.6 m
Time: 12-01-2021 11:47
Note: Panel Room P2 (A/c)
Ground Floor, PG Block



Latitude: 13.057834
Longitude: 77.642266
Elevation: 895.61 m
Accuracy: 25.2 m
Time: 12-01-2021 11:46
Note: Panel Room P2 (A/c)
Ground Floor, PG Block


Board Room (A/c) - Ground Floor, Main Block



KRISTU JAYANTI
(DEEMED TO BE UNIVERSITY)
Under Section 3 of UGC Act 1956
A CMI INSTITUTION | BENGALURU | INDIA



Latitude: 13.058211
Longitude: 77.642832
Elevation: 894.21 m
Accuracy: 20.0 m
Time: 10-12-2020 10:45
Note: Board Room (A/c)
Main Block, Ground Floor



Latitude: 13.058164
Longitude: 77.642766
Elevation: 894.21 m
Accuracy: 13.0 m
Time: 10-12-2020 10:41
Note: Board Room (A/c)
Main Block, Ground Floor



Latitude: 13.05822
Longitude: 77.642814
Elevation: 895.81 m
Accuracy: 23.5 m
Time: 10-12-2020 10:43
Note: Board Room (A/c)
Main Block, Ground Floor

Conference Room M1- Ground Floor, Main Block



KRISTU JAYANTI
(DEEMED TO BE UNIVERSITY)
Under Section 3 of UGC Act 1956
A CMI INSTITUTION | BENGALURU | INDIA



Senate Hall – Ground Floor, Admin. Block



KRISTU JAYANTI
(DEEMED TO BE UNIVERSITY)
Under Section 3 of UGC Act 1956
A CMI INSTITUTION | BENGALURU | INDIA



Latitude: 13.058753
Longitude: 77.641996
Elevation: 903.79±3 m
Accuracy: 45.1 m
Time: 12-03-2021 17:27
Note: Senate Hall
Ground Floor, Admin. Block



Latitude: 13.058701
Longitude: 77.641989
Altitude: 817.6±3 m
Accuracy: 16.5 m
Time: 12-03-2021 17:31
Note: Senate Hall
Ground Floor, Admin. Block



Latitude: 13.058694
Longitude: 77.641981
Elevation: 900.8±3 m
Accuracy: 31.3 m
Time: 12-03-2021 17:28
Note: Senate Hall
Ground Floor, Admin. Block

Plenary Hall, First Floor, Admin. Block



KRISTU JAYANTI
(DEEMED TO BE UNIVERSITY)
Under Section 3 of UGC Act 1956
A CMI INSTITUTION | BENGALURU | INDIA



Latitude: 13.058797
Longitude: 77.642025
Elevation: 896.4 m
Accuracy: 28.1 m
Time: 30-03-2021 12:51
Note: Plenary Hall
First Floor, Admin. Block



Latitude: 13.058806
Longitude: 77.641942
Elevation: 902.9 m
Accuracy: 45.6 m
Time: 29-03-2021 11:21
Note: Plenary Hall
First Floor, Admin. Block



Latitude: 13.058818
Longitude: 77.642039
Elevation: 896.4 m
Accuracy: 19.3 m
Time: 30-03-2021 12:52
Note: Plenary Hall
First Floor, Admin. Block

Conclave Hall, Admin. Block, First Floor




KRISTU JAYANTI
(DEEMED TO BE UNIVERSITY)
Under Section 3 of UGC Act 1956
A CMI INSTITUTION | BENGALURU | INDIA



Latitude: 13.058901
Longitude: 77.642071
Elevation: 896.3 m
Accuracy: 56.1 m
Time: 29-03-2021 11:05
Note: Conclave Hall
First Floor, Admin. Block



Latitude: 13.058816
Longitude: 77.642082
Elevation: 896.3 m
Accuracy: 24.4 m
Time: 29-03-2021 11:03
Note: Conclave Hall
First Floor, Admin. Block



Latitude: 13.05879
Longitude: 77.642083
Elevation: 896.3 m
Accuracy: 18.4 m
Time: 29-03-2021 11:04
Note: Conclave Hall
First Floor, Admin. Block

Council Room, Admin. Block, First Floor



KRISTU JAYANTI
(DEEMED TO BE UNIVERSITY)
Under Section 3 of UGC Act 1956
A CMI INSTITUTION | BENGALURU | INDIA



Latitude: 13.058886
Longitude: 77.642003
Elevation: 892.0 m
Accuracy: 110.0 m
Time: 29-03-2021 11:17
Note: Council Room
First Floor, Admin. Block



Latitude: 13.059768
Longitude: 77.642337
Accuracy: 500.0 m
Time: 12-01-2021 11:05
Note: Council Room
First Floor, Admin. Block



Latitude: 13.058989
Longitude: 77.642044
Elevation: 892.0 m
Accuracy: 82.5 m
Time: 29-03-2021 11:17
Note: Council Room
First Floor, Admin. Block

Discussion Rooms - Ground Floor, Admin. Block



KRISTU JAYANTI
(DEEMED TO BE UNIVERSITY)
Under Section 3 of UGC Act 1956
A CMI INSTITUTION | BENGALURU | INDIA



Latitude: 13.059322
Longitude: 77.641957
Elevation: 892.9 m
Accuracy: 135.6 m
Time: 07-01-2021 12:47
Note: Discussion Room, Ground Floor, Admin Block



Latitude: 13.059114
Longitude: 77.64215
Elevation: 892.51 m
Accuracy: 82.5 m
Time: 07-01-2021 12:46
Note: Discussion Room, Ground Floor, Admin Block

Conference Hall A1, Admin. Block, First Floor



KRISTU JAYANTI
(DEEMED TO BE UNIVERSITY)
Under Section 3 of UGC Act 1956
A CMI INSTITUTION | BENGALURU | INDIA



Latitude: 13.059085
Longitude: 77.642097
Elevation: 896.4 m
Accuracy: 43.0 m
Time: 30-03-2021 13:08
Note: Conference Hall A1
First Floor, Admin. Block



Latitude: 13.0588
Longitude: 77.642065
Elevation: 896.3 m
Accuracy: 98.4 m
Time: 29-03-2021 11:06
Note: Conference Hall A1
First Floor, Admin. Block




Latitude: 13.058623
Longitude: 77.642205
Elevation: 895.2 m
Accuracy: 74.2 m
Time: 29-03-2021 11:08
Note: Conference Hall A1
First Floor, Admin. Block

Training Hall - Seventh Floor, Admin. Block



KRISTU JAYANTI
(DEEMED TO BE UNIVERSITY)
Under Section 3 of UGC Act 1956
A CMI INSTITUTION | BENGALURU | INDIA



Latitude: 13.058398
Longitude: 77.642643
Elevation: 892.51 m
Accuracy: 92.9 m
Time: 08-01-2021 15:36
Note: Training Hall, Seventh Floor, Admin. Block



Latitude: 13.058061
Longitude: 77.650928
Accuracy: 600.0 m
Time: 08-01-2021 15:33
Note: Training Hall, Seventh Floor, Admin. Block


Recreation Lounge - Third Floor, PG Block



KRISTU JAYANTI
(DEEMED TO BE UNIVERSITY)
Under Section 3 of UGC Act 1956
A CMI INSTITUTION | BENGALURU | INDIA



Latitude: 13.058034
Longitude: 77.642249
Elevation: 896.01 m
Accuracy: 30.7 m
Time: 12-01-2021 10:09
Note: Recreation Hall, Third Floor, PG Block



Latitude: 13.05801
Longitude: 77.643045
Elevation: 896.01 m
Accuracy: 48.4 m
Time: 12-01-2021 10:09
Note: Recreation Hall, Third Floor, PG Block

4.1.2 - Recreation Lounge - Fourth Floor, PG Block



KRISTU JAYANTI
(DEEMED TO BE UNIVERSITY)
Under Section 3 of UGC Act 1956
A CMI INSTITUTION | BENGALURU | INDIA



Recreation Lounge - Sixth Floor, Admin. Block




KRISTU JAYANTI
(DEEMED TO BE UNIVERSITY)
Under Section 3 of UGC Act 1956
A CMI INSTITUTION | BENGALURU | INDIA



Latitude: 13.058742
Longitude: 77.643053
Accuracy: 500.0 m
Time: 12-01-2021 12:18
Note: Recreation Lounge
Sixth Floor, Admin. Block



Latitude: 13.052767
Longitude: 77.643769
Accuracy: 500.0 m
Time: 08-01-2021 15:50
Note: Recreation Lounge, Sixth Floor, Admin. Block



Latitude: 13.060347
Longitude: 77.640476
Elevation: 894.4 m
Accuracy: 135.6 m
Time: 12-01-2021 12:18
Note: Recreation Lounge
Sixth Floor, Admin. Block